Table 17B 2002 Pediatric Nutrition Surveillance (1) Tuolumne

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 055

	Anemia	Indicators		
		Anemia		
		Low Hb/Hct		
	Number	%		
White, Not Hispanic				
6 - 11 Months	29	*		
12 - 17 Months	47	*		
18 - 23 Months	24	*		
24 - 35 Months	64	10.0		
36 - 59 Months	117	10.3		
Total	281	13.5		
Black, Not Hispanic		*		
6 - 11 Months	1	*		
12 - 17 Months	0	,		
18 - 23 Months	0	*		
24 - 35 Months	1 1	*		
36 - 59 Months Total	3	*		
	3			
Hispanic 6 - 11 Months	6	*		
12 - 17 Months	8	*		
18 - 23 Months	2	*		
24 - 35 Months	8	*		
36 - 59 Months	12	*		
Total	36	*		
American Indian/Alaskan Native				
6 - 11 Months	0	*		
12 - 17 Months	0	*		
18 - 23 Months	0	*		
24 - 35 Months	0	*		
36 - 59 Months	1	*		
Total	1	*		

by Race/Ethnicity and Age (3, 4)							
			Anemia				
			Low Hb/Hct				
		Number	%				
1	Asian/Pacific Islander						
	6 - 11 Months	0	*				
	12 - 17 Months	0	*				
	18 - 23 Months	0	*				
	24 - 35 Months	0	*				
	36 - 59 Months	0	*				
	Total	0	*				
	All Other/Unknown						
	6 - 11 Months	4	*				
	12 - 17 Months	4	*				
	18 - 23 Months	2	*				
	24 - 35 Months	9	*				
	36 - 59 Months	20	*				
	Total	39	*				
1	Total All Race/Ethnic Groups						
	6 - 11 Months	40	*				
	12 - 17 Months	59	*				
	18 - 23 Months	28	*				
	24 - 35 Months	82	*				
	36 - 59 Months	151	10.6				
	Total	360	13.3				

Page:

Run Date: 11 / 7 / 03



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

(1)

Page: Run Date: 11 / 7 / 03

Anemia Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

State: California County: 055

					ounty. 000				
Anemia Indicators by Race/Ethnicity and Age (3, 4)									
		Anemia			Anemia				
		Low Hb/Hct			Low Hb/Hct				
	Number	%		Number	%				
White, Not Hispanic			Asian/Pacific Islander						
5 - 7 Years	0	*	5 - 7 Years	0	*				
8 - 11 Years	0	*	8 - 11 Years	0	*				
12 - 14 Years - Boys	15	*	12 - 14 Years - Boys	0	*				
12 - 14 Years - Girls	11	*	12 - 14 Years - Girls	0	*				
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*				
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	0	*				
Total	37	*	Total	0	*				
Black, Not Hispanic			All Other/Unknown						
5 - 7 Years	0	*	5 - 7 Years	0	*				
8 - 11 Years	0	*	8 - 11 Years	0	*				
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	1	*				
12 - 14 Years - Girls	Ō	*	12 - 14 Years - Girls	5	*				
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	2	*				
15 - 19 Years - Girls	Ō	*	15 - 19 Years - Girls	1	*				
Total	Ö	*	Total	9	*				
Hispanic			Total All Race/Ethnic Groups	†					
5 - 7 Years	0	*	5 - 7 Years	0	*				
8 - 11 Years	ő	*	8 - 11 Years	Ŏ	*				
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	18	*				
12 - 14 Years - Girls	1 1	*	12 - 14 Years - Girls	17	*				
15 - 19 Years - Boys	Ö	*	15 - 19 Years - Boys	6	*				
15 - 19 Years - Girls	Ĭ	*	15 - 19 Years - Girls	9	*				
Total	4	*	Total	50	*				
American Indian/Alaskan Native			5.5						
5 - 7 Years	0	*							
8 - 11 Years	0	*							
12 - 14 Years - Boys	0	*							
12 - 14 Years - Boys 12 - 14 Years - Girls	0	*							
15 - 14 Years - Girls 15 - 19 Years - Boys	0	*							
	_	*							
15 - 19 Years - Girls	0	*							
Total	0								

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

 ⁽³⁾ Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.